UNCLASSIFIED

AD NUMBER ADB967799 LIMITATION CHANGES TO: Approved for public release; distribution is unlimited. FROM: Distribution authorized to DoD and DoD contractors only; Specific Authority; 30 APR 1990. Other requests shall be referred to Commander, Chemical Research, Development and Engineering Center, Attn: SMCCR-SPS-T, Aberdeen Proving Ground, MD 21010-5423. **AUTHORITY** ECBC memo dtd 27 Aug 2014

JUNE	NNOUNCED			
AD-B967 799 DITC ACCESSION NUMBER	Distribution The Topy Topy Distribution The Topy Distribution The Topy Topy Distribution The Topy Topy Distribution The Topy Topy Do and DOD contractors only; specific authority; (30 Apr 90). Other requests shall be referred to Commander, Chemical Research, Development and Engineering Center, ATTN: SMCCR-SPS-T, Aberdeen Proving Ground, MD 21010-5423.			
	DISTRIBUTION STATEMENT			
BY DISTRIBUTION AVAILABILITY CODES DISTRIBUTION AVAILABILITY AND/OR S	ELECTE MAY 0 8 1990 DATE ACCESSIONED			
	DATE RETURNED			
	7 1.08 RECEIVED IN DTIC REGISTERED OR CERTIFIED NUMBER			
PHOTOGRAPH THIS SHEET AND RETURN TO DTIC-FDAC				
DTIC "FIFT, 70A	POCLMENT PROCESSING SHEET PROCESSING SHEET STOCKIS EXHAUSTED.			



T.R.L.R. 26 Copy No. 1 Project: A 10.2

By authoraty of

fatherity of the Ch. f. Medical Division o_c, c.w.s.

A Memorandum Report

CYANOGEN CHLORIDE

LC 50 FOR GOATS: 2 MIN EXPOSURE

By

F. P. McGrath

H. A. Sober


S. D Silver

DECLASSIFIED 900 DIR 3200.0

UNCLASSIFIED Into. Biv. . CMS Then. Orug. . E.A.

28 March 1944





T.R.L.

UNCLASSIFIED

T.R.L.R. 26 Project A 10.2 Copy No. 1

date \$1444 initial

By authority of the chief, Nedical Division, 0-C, C.W.S.

CYANOGEN CHLORIDE

LC 50 for Goats: 2 Min. Exposure

ру

F. P. McGrath H. A. Sober S. D. Silver



Forwarded to Chief, Chemical Warfare Service



G.O. h. Buy Feeh. Con.

UNCLASSIFIED

UNCLASSIFIED

CYANOGEN CHLORIDE LC 50 for Goats: 2 Min. Exposure

Project A 10.2

T.R.L.R. 26

ABSTRACT

OBJECT:

The object of project A 10.2 is to determine the toxicities of standard and proposed chemical warfare agents.

The object of the work described in this report was to determine the LC 50 of cyanogen chloride for goats exposed for 2 min. and observed for 15 days.

RESULTS:

Thirty goats were exposed for 2 min. to various concentrations of cyanogen chloride. Results are tabulated below:

Anal. Conon.	Mortal	Time of Death*	
mg./1.	fraction	7/8	min.
1.2	1/6	17	35
1.3	0/4	0	-
1.6	0/2	0	•
1.7	1/2	50	5
1.9	1/2	50	10
2.2	7/8	88	7,8,9,9,10,10,10
2.7	2/2	100	10.20
2.8	1/2	50	í
5.1	2/2	100	1,2

*Time after end of exposure.

CONCLUSIONS:

The LC 50 of cyanogen chloride for goats exposed 2 min. and observed 15 days is approximately 1.8 mg./1.

RECOMMENDATIONS:

None.

UNCLASSIFIED

T.R.L.

CYANOGEN CHLORIDE LC 50 for Goats: 2 Min. Exposure

Project A 10.2 T.R.L.R. 26

TABLE OF CONTENTS

		Page
I.	INTRODUCTION A. Object B. Authority	1
II.	HISTORICAL	1
111.	EXPERIMENTAL A. Materials and Equipment B. Procedure C. Results 1. Toxicity 2. Symptoms	1
IV.	DISCUSSION	3
v.	conclusions	3
VI.	RECOMMENDATIONS	3

CYANOGEN CHLORIDE LC 50 for Goats: 2 Min. Exposure

Project A 10.2

T.R.L.R. 26

I. INTRODUCTION.

A. Object.

The object of project A 10.2 is to determine the toxicities of standard and proposed chemical warfare agents.

The object of the work described in this report was to determine the LC 50 of cyanogen chloride for goats exposed for 2 min. and observed for 15 days.

B. Authority.

Work was done by authority of Chief, C.W.S., under project A 10.2.

II. HISTORICAL.

No reliable data are available for short time exposures (less than 5 min.) of goats to cyanogen chloride.

III. EXPERIMENTAL.

A. Materials and Equipment.

Cyanogen chloride of specification grads (95% pure) was obtained from the Protective Development Division, Tech. Command, Edgewood Arsenal.

Goats used as test animals were apparently healthy, and weighed from 35 to 81 lbs., averaging 51.5 lbs. They were selected by Lt. J. F. Brown. V.C.

The 2000 1. goat gassing chamber has been described in T.R.L.R. 20.

B. Procedure.

The gassing procedure was identical with that autlined in T.R.L.R. 23. The animals were observed for 15 days after gassing in order to note any delayed deaths.

Gas-air samples were collected in two bubblers in series containing an alcoholic (70%) solution of 3% sodium hydroxide. The solution was then acidified with 1:1 nitric acid and chloride determined by the Volhard method. Collection was practically complete in the first of the two bubblers.

C. Results.

1. Toxicity.

The results of gassing 30 goats with cyanogen chloride are shown in Table 1.

Table 1

Toxicity of Cyanogen Chloride to Goats: Exposure 2 Min.


Anal. Conen.	Mortality		Time of Death*
mg./1.	Fraction	%	min.
1.2	1/6	17	35
1.3	0/4	0	-
1.6	0/2	0	40
1.7	1/2	50	5
1.9	1/2	50	10
2.2	7/8	88	7,8,9,9,10,10,10
2.7	2/2	100	10,20
2.8	1/2	50	ĺ
5.1	2/2	100	1,2

*Time after end of exposure

Essential data from Table 1 are plotted in Chart 1. The LC 50 of cyanogen chloride for goats exposed 2 min. is estimated to be about 1.8 mg./1.

2. Symptoms.

The symptoms exhibited by the gassed animals were primarily those caused by extreme irritation, and were evident almost immediately after the start of exposure. Symptoms appeared in the following order: blinking, eye irritation, lacrimation, violent exhalation, coughing, sneezing, attempts at escape, and finally collapse, accompanied by tonic convulsions. Respiration appeared to be stimulated during exposure. All deaths may be classed as immediate, none having occurred later than 35 minutes after gassing. A thin, frothy, sometimes bloody, fluid was observed to exude from the nostrils and mouths of the goats dying after exposure to CC.



T.R.L.R. 26

UNCLASSIFIED

CYANOGEN CHLORIDE LC 50 for Gosts: 2 Min. Exposure

Project A 10.2

Notebook No. 1827

Experimental Work:

Begun: 4 February 1944 Completed: 14 March 1944

Distribution: 30 copies made

Copies 1-6, Technical Library Copies 7-14, Liaison Branch, OC-CWS

(7 for OC-CWS)

(8-9 for Canada)

(10 for microfilming)

(11 for Mr. Kingan)

(12-13 for M.A. London)

(14 for Bureau of Medicine &

Surgery, Navy Dept.)
Copies 15-17, N.D.R.C.,

Attn: Capt. Bacon

(15 for Washington Office)

(16 for Chicago Laboratory)

(17 for Dr. Homer Smith)

Copy 18, Medical Research Laboratory

Copy 19, Mass. Inst. of Technology

Copy 20, Toxicological Research Lab. Copy 21, Toxicity Files, Inf. Div.

Copies 22,28, Dr. Winternitz, (Ch.C.T.G.C.)

Copies 23,29, Medical Division, OC-CWS,

Gravelly Point, Washington

Copies 24,25, Surgeon General

(24 for file, Surgeon General)

(25 for file, Major Johnston)

Copy 26, Medical Division, OC-CWS

Edgewood Arsenal. Md.

Copy 27, Dugway Proving Ground,

Toosle, Utah

Copy 30, Major Sparks, C.W. School;

Edgewood Arsenal, Md.

Typed - 14 March - drk

Submitted by:

Assic. Toxicologist, P-3

Assoc. Toxicologist. P-3

S. D. Silver*

Senior Toxicologist, P-5

* Authors

Edited by:

Civilian Consultant

Recommending Approval:

Acting Chief

Toxicological Research Lab.

AFPROVED:

Thomas Nalo Kain mojor, me

John R. Wood, Colonel, M.C.

Acting Chief

Medical Division, OC-CWS



DEPARTMENT OF THE ARMY

US ARMY RESEARCH, DEVELOPMENT AND ENGINEERING COMMAND EDGEWOOD CHEMICAL BIOLOGICAL CENTER 5183 BLACKHAWK ROAD ABERDEEN PROVING GROUND, MD 21010-5424

REPLY TO ATTENTION OF

RDCB-DPS-RS

DD 27 NJ 6 14

TAUG 2 7 20W

MEMORANDUM PHRU Director, Edgewood Chemical Biological Center, (RDCB-D/Mr. Joseph Wienard), 5183 Blackhawk Road, Aberdeen Proving Ground, Maryland 21010-5424

FOR Defense Technical Information Center, 8725 John J. Kingman Road, Ft Belvoir, VA 22060

SUBJECT: Internal Request for Change in Distribution

- 1. This action is in response to an Edgewood Chemical Biological Center (ECBC) Internal Request for a Change in Distribution on documents related to cyanogen chloride.
- 2. The listed documents in the attachment have been reviewed by ECBC Subject Matter Experts and deemed suitable for the change in distribution to read "Approved for Public Release; distribution unlimited."
- 3. The point of contact is Adana L. Eilo, ECBC Security Specialist, (410) 436-2063, adana.l.eilo.civ@mail.mil.

Encl

ATTHEWA. SPAULDING

Security Manager

Cyanogen Chloride References

- [1] Marshall, E.K. and Miller, E.J., *Toxicity of Cyanogen Chloride for The Dog, Rabbit, Guinea Pig, Rat and Mouse on Inhalation, Report No. 222* in Marshall, EK ed., **Pharmacological and Research Section Monographs**. War Department Chemical Warfare Service, Research Division, American University Experiment Station, Washington, DC, c. 1918. On file with the Historical Research and Response Team, Research, Development and Engineering Command, Aberdeen Proving Ground, MD. Unclassified, Dist. E, DoD Only.
- [2] Miller, E.J. and Gross, J., *Report on G-178 (Cyanogen Chloride)*, **CB-183864**, in Marshall, EK ed., **Pharmacological and Research Section Monographs**. War Department Chemical Warfare Service, Research Division, American University Experiment Station, Washington, DC, 18 April 1918. Unclassified, Dist. E, DoD Only.
- [3] *Monthly Progress Report,* **CB-186024,** Chemical Corps, Army Chemical Center, MD, 15 June 1944, Unclassified, Dist. E, DoD Only.
- [4] McGrath, F.P., Sober, H.A., and Silver, S.D., *Cyanogen Chloride LC 50 for Goats: 2 Min. Exposure,* **CB-015759**, Chemical Corps Technical Command, Army Chemical Center, MD, 28 March 1944, Unclassified, Dist. D, DoD/Contractors Only.
- [5] Silver, S.D. and McGrath, F.P., *Cyanogen Chloride, Part 1. Preparation. Part 2. Toxicity: Median Lethal Concentration for Mice,* **EA-TR-341**, Edgewood Arsenal, Aberdeen Proving Ground, MD, 30 January 1942, Unclassified, Dist. D, DoD/Contractors Only.